


Canon Barnett Primary







**Canon Barnett**



Calculation Policy







# Calculation policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Combining two parts to make a whole (use other resources too e.g. eggs, shells, teddy bears, cars).</p>  <p>The illustration shows two groups of cubes at the top: one group of four blue cubes and one group of three green cubes. An arrow points down to a single row of seven cubes, with the first four being blue and the last three being green, representing the sum of the two groups.</p>	<p>Children to represent the cubes using dots or crosses. They could put each part on a part whole model too.</p>  <p>A hand-drawn diagram showing a large circle on the left containing seven dots. Two lines connect this large circle to two smaller circles on the right. The top smaller circle contains four dots, and the bottom smaller circle contains three dots, illustrating the decomposition of the whole into two parts.</p>	<p><math>4 + 3 = 7</math> Four is a part, 3 is a part and the whole is seven.</p>  <p>A tree diagram on a black background. At the top is a large circle containing the number 7. Two lines branch down from this circle to two smaller circles below it. The left smaller circle contains the number 4, and the right smaller circle contains the number 3, showing how the whole is composed of two parts.</p>
<p>Counting on using number lines using cubes or Numicon.</p>  <p>The illustration shows a number line from 0 to 10. Four blue cubes are placed on the line from 0 to 4, and two yellow cubes are placed from 4 to 6. Below the number line are two Numicon blocks: one orange block with two dots (representing 2) and one green block with four dots (representing 4). To the right, another set of Numicon blocks shows two red blocks with one dot each (representing 2) and one green block with four dots (representing 4).</p>	<p>A bar model which encourages the children to count on, rather than count all.</p>  <p>A hand-drawn bar model consisting of a horizontal rectangle divided into three sections. The first section on the left is labeled with the number 4. The entire bar is enclosed in a bracket underneath, with a question mark below the bracket, indicating the total length of the bar.</p>	<p>The abstract number line: What is 2 more than 4? What is the sum of 2 and 4? What is the total of 4 and 2? <math>4 + 2</math></p>  <p>An abstract number line with the numbers 4, 5, and 6 marked. A curved line starts at 4 and ends at 5, representing an addition of 1. Another curved line starts at 5 and ends at 6, representing an addition of 1. Together, they show a sequence of additions starting from 4.</p>




# Calculation policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.


Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Regrouping to make 10; using ten frames and counters/cubes or using Numicon.</p> <p>6 + 5</p> 	<p>Children to draw the ten frame and counters/cubes.</p> 	<p>Children to develop an understanding of equality e.g.</p> $6 + \square = 11$ $6 + 5 = 5 + \square$ $6 + 5 = \square + 4$
<p>TO + O using base 10. Continue to develop understanding of partitioning and place value.</p> <p>41 + 8</p> 	<p>Children to represent the base 10 e.g. lines for tens and dot/crosses for ones.</p> 	<p>41 + 8</p>  <p>1 + 8 = 9 40 + 9 = 49</p> 

# Calculation policy: Addition

Key language: sum, total, parts and wholes, plus, add, altogether, more, 'is equal to' 'is the same as'.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>TO + TO using base 10. Continue to develop understanding of partitioning and place value. 36 + 25</p> 	<p>Children to represent the base 10 in a place value chart.</p> 	<p>Looking for ways to make 10.</p> $36 + 25 =$  <p>Formal method</p> $\begin{array}{r} 36 \\ +25 \\ \hline 61 \\ \hline 1 \end{array}$ <p>30 + 20 = 50 5 + 5 = 10 50 + 10 + 1 = 61</p>

# Conceptual variation; different ways to ask children to solve $21 + 34$



?	
21	34

Word problems:  
 In year 3, there are 21 children and in year 4, there are 34 children.  
 How many children in total?


$21 + 34 = 55$ . Prove it

$$\begin{array}{r} 21 \\ +34 \\ \hline \end{array}$$

$21 + 34 =$

$? = 21 + 34$

Calculate the sum of twenty-one and thirty-four.










Missing digit problems:

10s	1s
● ●	●
● ● ●	?
?	5






# Calculation policy: subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p><b>Physically taking away and removing objects from a whole</b> (ten frames, Numicon, cubes and other items such as beanbags could be used).</p> <p><math>4 - 3 = 1</math></p> 	<p>Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p><math>4 - 3 =</math> <math>? = 4 - 3</math></p>  
<p><b>Counting back</b> (using number lines or number tracks) children start with 6 and count back 2.</p> <p><math>6 - 2 = 4</math></p> 	<p>Children to represent what they see pictorially e.g.</p> 	<p>Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line</p> 







# Calculation policy: subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p><b>Finding the difference</b> (using cubes, Numicon or Cuisenaire rods, other objects can also be used). Calculate the difference between 8 and 5.</p> 	<p>Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.</p> 	<p>Find the difference between 8 and 5.</p> <p>8 - 5, the difference is <span style="background-color: blue; color: blue;">■</span></p> <p>Children to explore why <math>9 - 6 = 8 - 5 = 7 - 4</math> have the same difference.</p>
<p><b>Making 10</b> using ten frames. <math>14 - 5</math></p> 	<p>Children to present the ten frame pictorially and discuss what they did to make 10.</p> 	<p>Children to show how they can make 10 by partitioning the subtrahend.</p> $14 - 5 = 9$  <p><math>14 - 4 = 10</math> <math>10 - 1 = 9</math></p>

# Calculation policy: subtraction



Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Column method using base 10. 48-7</p> 	<p>Children to represent the base 10 pictorially.</p> 	<p>Column method or children could count back 7.</p> 
<p>Column method using base 10 and having to exchange.</p> <p>41 - 26</p> 	<p>Represent the base 10 pictorially, remembering to show the exchange.</p> 	<p>Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because <math>41 = 30 + 11</math>.</p> 




## Calculation policy: subtraction

Key language: take away, less than, the difference, subtract, minus, fewer, decrease.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Column method using place value counters.</p> <p>234 - 88</p> 	<p>Represent the place value counters pictorially; remembering to show what has been exchanged.</p> 	<p>Formal column method. Children must understand what has happened when they have crossed out digits.</p> $  \begin{array}{r}  \overset{2}{2}\overset{1}{3}4 \\  - \quad 88 \\  \hline  \quad \quad 6 \\  \hline  \end{array}  $

## Conceptual variation; different ways to ask children to solve $391 - 186$



391	
186	?

Raj spent £391, Timmy spent £186.  
 How much more did Raj spend?  
 Calculate the difference between 391 and 186.

   =  $391 - 186$

$$\begin{array}{r} 391 \\ -186 \\ \hline \end{array}$$






What is 186 less than 391?

Missing digit calculations

$$\begin{array}{r} 39\Box \\ -\Box\Box6 \\ \hline \Box05 \end{array}$$






# Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Repeated grouping/repeated addition  <math>3 \times 4</math>  <math>4 + 4 + 4</math>                      There are 3 equal groups, with 4 in each group.</p> 	<p>Children to represent the practical resources in a picture and use a bar model.</p> 	<p><math>3 \times 4 = 12</math>  <math>4 + 4 + 4 = 12</math></p>
<p>Number lines to show repeated groups-  <math>3 \times 4</math></p>  <p>Cuisenaire rods can be used too.</p>	<p>Represent this pictorially alongside a number line e.g.:</p> 	<p>Abstract number line showing three jumps of four.</p> <p><math>3 \times 4 = 12</math></p> 



# Calculation policy: Multiplication

Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p><b>Partition to multiply</b> using Numicon, base 10 or Cuisenaire rods.</p> <p><math>4 \times 15</math></p> 	<p>Children to represent the concrete manipulatives pictorially.</p> 	<p>Children to be encouraged to show the steps they have taken.</p> <p><math>4 \times 15</math></p> <p>10 5</p> <p><math>10 \times 4 = 40</math>  <math>5 \times 4 = 20</math>  <math>40 + 20 = 60</math></p> <p>A number line can also be used</p> 
<p>Formal column method with place value counters (base 10 can also be used.) <math>3 \times 23</math></p> 	<p>Children to represent the counters pictorially.</p> 	<p>Children to record what it is they are doing to show understanding.</p> <p><math>3 \times 23</math></p> <p>20 3</p> <p><math>3 \times 20 = 60</math>  <math>3 \times 3 = 9</math>  <math>60 + 9 = 69</math></p>

# Calculation policy: Multiplication






Key language: double, times, multiplied by, the product of, groups of, lots of, equal groups.

Concrete Pictorial Abstract	Concrete Pictorial Abstract	Concrete Pictorial Abstract
<p>Formal column method with place value counters.</p> <p><math>6 \times 23</math></p> 	<p>Children to represent the counters/base 10, pictorially e.g. the image below.</p> 	<p>Formal written method</p> $6 \times 23 =$ $\begin{array}{r} 23 \\ \times 6 \\ \hline 138 \\ \hline 11 \end{array}$
<p>When children start to multiply <math>3d \times 3d</math> and <math>4d \times 2d</math> etc., they should be confident with the abstract:</p> <p>To get 744 children have solved <math>6 \times 124</math>.</p> <p>To get 2480 they have solved <math>20 \times 124</math>.</p>	$\begin{array}{r} 124 \\ \times 26 \\ \hline 744 \\ \phantom{7}480 \\ \hline 3224 \\ \hline 11 \end{array}$ <p>Answer: 3224</p>	








# Calculation policy: Division

Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract		
<p><b>Sharing</b> using a range of objects.  <math>6 \div 2</math></p> 	<p>Represent the sharing pictorially.</p> 	<p><math>6 \div 2 = 3</math></p> <table border="1" data-bbox="1444 406 1960 486"> <tr> <td style="text-align: center; width: 50px;">3</td> <td style="text-align: center; width: 50px;">3</td> </tr> </table> <p>Children should also be encouraged to use their 2 times tables facts</p>	3	3
3	3			
<p>Repeated subtraction using Cuisenaire rods above a ruler. <math>6 \div 2</math></p> 	<p>Children to represent repeated subtraction pictorially.</p> 	<p>Abstract number line to represent the equal groups that have been subtracted.</p> 		

# Calculation policy: Division





Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
<p><math>2d \div 1d</math> with remainders using lollipop sticks. Cuisenaire rods, above a ruler can also be used.</p> <p><math>13 \div 4</math></p> <p>Use of lollipop sticks to form wholes-squares are made because we are dividing by 4.</p>  <p>There are 3 whole squares, with 1 left over.</p>	<p>Children to represent the lollipop sticks pictorially.</p>  <p>There are 3 whole squares, with 1 left over</p>	<p><math>13 \div 4 = 3</math> remainder 1</p> <p>Children should be encouraged to use their times table facts; they could also represent repeated addition on a number line.</p> <p>'3 groups of 4, with 1 left over'</p> 
<p>Sharing using place value counters.</p> <p><math>42 \div 3 = 14</math></p> 	<p>Children to represent the place value counters pictorially.</p> 	<p>Children to be able to make sense of the place value counters and write calculations to show the process.</p> <p><math>42 \div 3</math></p> <p><math>42 = 30 + 12</math></p> <p><math>30 \div 3 = 10</math></p> <p><math>12 \div 3 = 4</math></p> <p><math>10 + 4 = 14</math></p>




# Calculation policy: Division

Key language: share, group, divide, divided by, half.

Concrete	Pictorial	Abstract
<p>Short division using place value counters to group.  <math>615 \div 5</math></p>  <p>1. Make 615 with place value counters.                  2. How many groups of 5 hundreds can you make with 6 hundred counters?                  3. Exchange 1 hundred for 10 tens.                  4. How many groups of 5 tens can you make with 11 ten counters?                  5. Exchange 1 ten for 10 ones.                  6. How many groups of 5 ones can you make with 15 ones?</p>	<p>Represent the place value counters pictorially.</p> 	<p>Children to the calculation using the short division scaffold.</p> $\begin{array}{r} 123 \\ 5 \overline{) 615} \end{array}$
<p>Long division using place value counters  <math>2544 \div 12</math></p>  <p>We can't group 2 thousands into groups of 12 so will exchange them.</p>  <p>We can group 24 hundreds into groups of 12 which leaves with 1 hundred.</p> $\begin{array}{r} 02 \\ 12 \overline{) 2544} \\ \underline{24} \\ 1 \end{array}$		


## Calculation policy: Division

Key language: share, group, divide, divided by, half



After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.

$$\begin{array}{r}
 021 \\
 12 \overline{) 2544} \\
 \underline{24} \phantom{00} \\
 14 \phantom{00} \\
 \underline{12} \phantom{00} \\
 2
 \end{array}$$




After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.

$$\begin{array}{r}
 0212 \\
 12 \overline{) 2544} \\
 \underline{24} \phantom{00} \\
 14 \phantom{00} \\
 \underline{12} \phantom{00} \\
 24 \phantom{00} \\
 \underline{24} \phantom{00} \\
 0
 \end{array}$$

## Conceptual variation; different ways to ask children to solve $615 \div 5$

Using the part whole model below, how can you divide 615 by 5 without using short division?



have £615 and share it equally between 5 bank accounts. How much will be in each account?  
615 pupils need to be put into 5 groups. How many will be in each group?

$$5 \overline{)615}$$

$$615 \div 5 =$$

$$\square = 615 \div 5$$

What is the calculation?  
What is the answer?

100s	10s	1s
		